Sea Level Rise and Coastal Hazards in Washington State


Douglas J. Canning
Washington Department of Ecology
and
Climate Impacts Group, University of Washington

The Future Ain't What it Used to Be: Planning for Climate Disruption
2005 Regional Climate Change Conference
Seattle – 27 Oct 2005

Climate & Cascadia Coastal Zone


- •Sea Level Rise
 - Coastal erosion
 - Inundation
 - Other...
- Combined with increased winter precipitation
 - Bluff landsliding
 - Flooding





SYR - FIGURE 2-5









Vertical Land Movement...

- ... alters sea level rise rates
 - •Subduction zone tectonic forces 'wrinkle' the land surface:
 - Uplift occurs on most of the Ocean coast
 - Subsidence occurs in most of Puget Sound




Friday Harbor sea level trend

From 1935 to the present, water level at the Friday Harbor gage has been rising at about the global average.




Seattle sea level trend

From 1900 to the present, water level at the Seattle gage has been rising at about 2X the global average.




Neah Bay sea level trend


From 1935 to the present, water level at the Neah Bay gage has been trending down.




Barometric Pressure Effects



Short term low pressure cells allow water level to rise: up to 2.0 ft on 22 Nov 2001 at Tacoma











Regional Changes in Sea Level



Combining it all for Washington...



Sea Level Rise & Inundation




Port of Olympia Peninsula

Coastal Erosion



Point Brown, Ocean Shores — 1997 - 98

Puget Sound Bluff Landsliding



Management & Response

- Shoreline Management Act
 - Local Shoreline Master Programs
- Growth Management Act
 - Local Geologic Hazards Critical Area
- Floodplain Management Act
 - Local Comprehensive FCM Plans
- Puget Sound Plan
- Aquatic Lands Management Act

SLR Response as Risk Response

- We respond to flood hazards by linking what's at risk with the *probability* of flood risk, e.g. higher risk situations are managed by applying progressively lower probability, higher severity events (e.g. 100 year, 500 year event).
- We could respond to SLR hazards by associating what's at risk with the severity of the SLR scenario, e.g. higher risk situations are managed by applying progressively more aggressive SLR scenarios.

Douglas J. Canning

Shorelands Program,
Washington Department of Ecology
dcan461@ecy.wa.gov

Climate Impacts Group, University of Washington